YOUR GLOBAL ITALIAN BREAKBULK PORT

Ports of Genoa @ Logismed 2025 hall F stand 4





PORTS of
 GENÓA
RN GATEWAY TO EUROPE.

CONTENTS

The Ports Of Genoa	4
Four Ports, One Port Authority Efficient Integration With The Supply Chains Committed To Sustainability	4 4 4
Worldwide Coverage	6
Specific Handling Solutions For All Cargo	6
Port Of Vado Ligure	8
Forship Vado Gateway Reefer Terminal	9 10 11
Port Of Savona	12
But Grimaldi Group Savona Terminal Auto Savona Terminals	13 14 15
Port Of Genoa Pra'	16
PSA Genova Pra' Terminal	17
Port Of Genoa	18
Messina Group - Intermodal Marina Terminal Terminal San Giorgio FO.RE.S.T	19 20 21
Spinelli Group - Genoa Port Terminal C. Steinweg - GMT PSA Sech Terminal Contenitori Porto di Genova Stazione Marittime S.P.A	22 23 24 25
Port Directory	26

9



THE PORTS OF GENOA

FOUR PORTS, ONE PORT AUTHORITY

Genoa, Pra', Savona and Vado Ligure, the Ports of the Western Ligurian Sea - grouped together as the Ports of Genoa - rank as Italy's pre-eminent port range in terms of total throughput, commodity diversity and economic output.

Located across a total surface area of approximately 7 million sqm, 35 specialised terminals cater for all key commodity sectors: container, general cargo, Ro-Ro and bulk. Specifically, the Ports of Genoa rank as the leading Mediterranean gateway port for containers, project and heavy-lift cargo, and fruit.

With over 160 deep-sea, short-sea, feeder and Ro-Ro regular liner services, the Ports of Genoa are connected to over 450 ports worldwide.

EFFICIENT INTEGRATION WITH THE SUPPLY CHAINS

Strategically located in the northernmost point of the Mediterranean Sea, at the heart of Europe, easily accessible overland across fast road and rail connections and by sea across the ultra-large container vessels which can dock in the natural deepwater, the Ports of Genoa are equipped to consolidate their leadership as the premier Mediterranean gateway to the major consumer centres in Europe. The industrial heartland of Europe sits within a 600-km range of the ports: Northern Italy Switzerland, Bavaria, Baden-Wurttemberg, Austria are the natural catchment areas of POG. Road and railway last mile infrastructures are the subject of an extensive renovation plan aimed at further improving the accessibility of port terminals. In addition, the Port Authority is boosting the development of digital technologies, to reduce dwelling and transit times in the ports, by developing smart port terminal gate access, mobile apps for truckers (including vehicle pre-notification and booking systems), automated data exchange between all the players of the supply chain, including Customs.

COMMITTED TO SUSTAINABILITY

The Ports of Genoa are firmly committed to contributing to the achievement of the UN Sustainable Development Goals the IMO and EU planned CO2 emissions targets. The environmental performance of the port is being improved across a comprehensive investment plan aimed at reducing the carbon footprint of the port cluster. Green projects include the installation of ship-to-shore power connections along all the port quays, the development of smart energy management systems, from renewable energy production to energy storage and distribution to port users, the implementation of green fuel management and filling plants, port and ship waste management improvement, the urban regeneration of the areas between the ports and the towns.



WORLDWIDE COVERAGE


SPECIFIC HANDLING SOLUTIONS FOR ALL CARGO REQUIREMENTS

The Ports of Genoa feature specialised terminals offering the best transport solutions for all types of commodities that cannot be loaded in containers: general cargo (cellulose and timber, fruit and perishable goods), rolling stock (lorries, new motor vehicles, machinery, railway vehicles) or special cargoes (project cargo, heavy-lift and oversize cargo).

Breakbulk amounts to almost a quarter of the total Ports of Genoa throughput, with over 14.5 million tons handled yearly.

160 Regular liner services450 Worldwide connected ports

21%



PORT OF VADO LIGURE



QUAY	Depth: 9,5 m Berths: 3 ro-ro Operating capacity: Ship length up to 230 m
STORAGE AREA	Parking area: 45,000 sqm; Warehouse: 1,500 sqm

FORSHIP

In the Port of Vado Ligure, Forship operates a passenger and freight ferry terminal which covers a total of 50,000 sqm with 3 Ro-Ro berths and features a 45,000-sqm parking yard and a 1,500 sqm-warehouse. The terminal is homeport to "Corsica Ferries – Sardinia Ferries" shipping company, which offers all-year regular services to Corsica (with up to 3 departures per day in summer), and can also host third-party passenger and Ro-Ro services.

The passenger facilities in the terminal building, which cater for over 300,000 passengers during peak summer months, consist of a ground-floor ticket office, snack bar, nursery, waiting hall with children's play area and panoramic terraces.

The terminal is equipped to handle oversize freight that accounts for 5% of its trade volumes. Fast access across a direct road link to the Savona motorway exit (3 km), and the excellent port infrastructure, has consolidated Terminal Forship's position as a focal point for ferry services between Italy and Corsica.



VADO GATEWAY VADO LIGURE

Vado Gateway, operated by an Italian company composed of APM Terminals with a 60% stake and Cosco Shipping Ports at 40%, ranks as the first semiautomated deep-sea container port in Italy and amongst the most technologically advanced in the Mediterranean.

The facility features a fully automated gate and stacking yard with an overall yearly capacity of 900.000 TEUs. The 700 m deep-sea berth, with depth alongside at 17.25 metres, is equipped with four ship-to-shore cranes, with a maximum 100 tons "under hook" and 65ton capacity in twin lift configuration and can handle the latest Ultra-Large Container Vessels.

Efficiency and short truck-turn times (around 30 minutes) are achieved using a truck appointment system which is fully integrated with the Terminal Operating System.

QUAY	Length: 700 m Depth: 17.25 m Operating capacity: 900,000 TEU/yr
HANDLING EQUIPMENT	4 ULCS cranes (24 containers wide) 21 Automated RMG cranes 19 Hybrid Straddle carriers 950 Reefer plugs
ROAD ACCESS	14 Fully Automated Lanes Truck Appointment System
RAIL FACILITIES	Target: 40% total traffic (15-18 trains/day)







REEFER TERMINAL VADO LIGURE

The multipurpose Reefer Terminal, operated by APM Terminals, ranks as the Mediterranean's leading fruit terminal, handling up to 500,000 t. of fresh produce per annum. The bananas and pineapple trade covers about 50% of the business, whilst citrus and other fruit from South Africa, West Africa, Central/South America and New Zealand account for the remainder.

In the Port of Vado Ligure, Reefer Terminal operates an on-dock warehouse for a total of 24,000 sqm, equipped with 15 independently controlled temperature cells (from -2° to $+14^{\circ}$) and 4 conditioned areas, for a total instant storage capacity of 13,000 pallets. The stacking yard has an annual capacity of 250,000 TEUs and offers 500 reefer plugs.

Reefer Terminal has the capability to handle dry containers which do not require a temperaturecontrolled environment. In addition, a wide range of ancillary services are available for customers, including VGM reporting, container stuffing/destuffing operations and phytosanitary inspections. The company has also been certified as Authorised Economic Operator (AEO), instrumental in facilitating trade across the establishment of Fast Corridors and Smart Terminals.

In recent years, Reefer Terminal has developed a high degree of specialisation in breakbulk cargo handling, namely, industrial evaporators, cylinders, rail cars, locomotives, yachts and project cargo.

TOTAL AREA	50,000 sqm
QUAY	Fruit berth: 240 m; depth 10 m Container berth: 470 m; depth 14 m Ro-Ro berths: 200 m; depth 9 m
HANDLING EQUIPMENT	2 STS gantry cranes (16 rows) 2 RMG stacking cranes (gap 46 m)
FRUIT STORAGE AREA	Total indoor area: 24,000 sqm Conditioned areas (+8°/+13° C) 3,500 plts Refrigerated rooms (-2°/+14°C) 10,000 plts
RAIL FACILITIES	4 x 460 m tracks
WAREHOUSE	Indoor area: 1.200 sqm Yard area: 5.000 sqm Handling equipment: 1 Reach Stacker 1 Heavy Forklift (25 tons) 3 E-forklifts Services provided: Stuffing/unstuffing in/out of gauge; warehousing; cross docking.




TOTAL AREA	Indoor 22,000 sqm Outdoor 10,000 sqm
QUAY	Draft: 15.5m Operating capacity: Ship tonnage up to 50,000 gt and 400,000 t/year
HANDLING EQUIPMENT	Bagging lines for 500/600 kg big bags and 15-25 40- 50 kg bags, with automatic palletiser and binding machine, mechanical shovels and fork-lifts

BUT

BuT Terminal offers a wide selection of services in port operations including loading, unloading, transhipment, storage and handling of the full range of breakbulk commodities, namely, fertilisers, chemicals and minerals, soda ash, salt, sand, ferroalloys, wood pellets, biomass and related products, non-ferrous metal and colonial products. The terminal extends across a 22,000-sqm (indoor) and 10,000-sqm (outdoor) area in the Port of Savona, and the natural deepwaters, up to 15.5 m, and the direct fast connections with the motorway and rail networks, boost BuT's competitive edge in key catchment markets.

Traditional bulk handling services match well with specialised services, from 5 up to 50-kg bags and 500/600-kg big-bag packaging services, including automatic pallet wrapping. Overall the terminal offers a packaging capacity in excess of 1,000 tons daily over double shift.

In addition, the company operates under ISO 9001:2015 certification, in full compliance with ATEX directives and pending certification under the OHSAS 18001.



GRIMALDI GROUP SAVONA TERMINAL AUTO

Savona Terminal Auto, part of the Grimaldi Group, operates a Ro-Ro terminal, sited in the Darsena Alti Fondali, equipped to handle cars, machinery (selfpropelled, wheeled and tracked), trailers, project and heavyweight cargo and trains, thanks to the double rail track perpendicular to the edge of the quay, which allows convoys to roll directly into the ship's hold.

The terminal is located alongside the quay and covers 110,000 sqm surface area (40,000 sqm covered), with a handling capacity of 250,000 vehicles per year, bolstered by a storage capacity of 4,000 units, divided by lot and destination. The storage area is equipped with automated truck gates, surveillance cameras and direct rail-road connections and, in addition, offers bonded and fiscal warehousing services.

The complete port operation cycle, from reception to loading/unloading operations, is integrated into an IT platform and performed by a team on in-house experienced skilled staff, ensuring high standards and minimum ship dwell times.

TOTAL AREA	120,000 sqm, 40,000 of covered areas
QUAY	Length: 350 m Depth: 15 m
STACKING AREA	Handling capacity: 250,000 vehicles/year
RAIL FACILITIES	On-dock rail connection







with Must SpA, to rank as a major general cargo

terminal operator in the heart of the Port of Savona, equipped to handle forest products, white bulk, iron and steel products (bulk and semi-products) as well as non-ferrous metals.

Since February 2014, Savona Terminals SpA has merged

SAVONA TERMINALS

The terminal features three berths of 700 m overall length with a depth alongside between 9 and 15 m, 5 warehouses covering a total of 35,000 sqm (8,000 sqm dedicated to kaolin), an outdoor storage area of 30,000 sqm and 3 rail links. Since 2016 the terminal has a new multipurpose warehouse with an indoor area of 3,800 sqm, an investment made possible by the extension of the public concession to 31 December 2034.

The terminal is equipped with 4 Gottwald self-propelled cranes, 2 dedusted hoppers for powder-bulk cargo, conventional dedusted hoppers, tractors and fork-lifts, in addition to a range of handling equipment provided by the port's stevedoring company.

TOTAL AREATotal: 70,000 sqm2 port canopies: 2,900 sqm 5 warehouses: 31,000 sqmQUAYZone 31 Length: 162 m Depth: 15 m Zone 32 North Length: 158 m Depth: 15 m Zone 14/15 Length: 291 m Depth: 10 mHANDLING EQUIPMENT4 Gottwald self-propelled cranes Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted hoppers for powder-bulk cargo		
QUAYZone 31QUAYZone 31Length: 162 mDepth: 15 mZone 32 NorthLength: 158 mDepth: 15 mZone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENTA Gottwald self-propelled cranesEQUIPMENTFork-lifts, grippers, buckets, wheeled flatbeds and dedusted	TOTAL AREA	Total: 70,000 sqm
QUAYZone 31Length: 162 mDepth: 15 mZone 32 NorthLength: 158 mDepth: 158 mDepth: 15 mZone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENT4 Gottwald self-propelled cranes2 Mantsinen material handling machinesFork-lifts, grippers, buckets, wheeled flatbeds and dedusted		2 port canopies: 2,900 sqm
Length: 162 m Depth: 15 m Zone 32 North Length: 158 m Depth: 15 m Zone 14/15 Length: 291 m Depth: 10 m HANDLING EQUIPMENT 4 Gottwald self-propelled cranes 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		5 warehouses: 31,000 sqm
Depth: 15 mZone 32 NorthLength: 158 mDepth: 15 mZone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENT4 Gottwald self-propelled cranes2 Mantsinen material handlingmachinesFork-lifts, grippers, buckets,wheeled flatbeds and dedusted	QUAY	Zone 31
Zone 32 NorthLength: 158 mDepth: 15 mZone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENT4 Cottwald self-propelled cranes2 Mantsinen material handlingmachinesFork-lifts, grippers, buckets,wheeled flatbeds and dedusted		Length: 162 m
Length: 158 m Depth: 15 m Zone 14/15 Length: 291 m Depth: 10 m HANDLING EQUIPMENT 4 Gottwald self-propelled cranes 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		Depth: 15 m
Depth: 15 mZone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENT4 Gottwald self-propelled cranes2 Mantsinen material handlingmachinesFork-lifts, grippers, buckets,wheeled flatbeds and dedusted		Zone 32 North
Zone 14/15Length: 291 mDepth: 10 mHANDLINGEQUIPMENT4 Gottwald self-propelled cranes2 Mantsinen material handlingmachinesFork-lifts, grippers, buckets,wheeled flatbeds and dedusted		Length: 158 m
Length: 291 m Depth: 10 m HANDLING EQUIPMENT A Gottwald self-propelled cranes 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		Depth: 15 m
Depth: 10 m HANDLING 4 Gottwald self-propelled cranes EQUIPMENT 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		Zone 14/15
HANDLING EQUIPMENT4 Gottwald self-propelled cranes 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		Length: 291 m
EQUIPMENT 2 Mantsinen material handling machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted		Depth: 10 m
machines Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted	HANDLING	4 Gottwald self-propelled cranes
Fork-lifts, grippers, buckets, wheeled flatbeds and dedusted	EQUIPMENT	2 Mantsinen material handling
wheeled flatbeds and dedusted		machines
		Fork-lifts, grippers, buckets,
hoppers for powder-bulk cargo		wheeled flatbeds and dedusted
		hoppers for powder-bulk cargo



PORT OF PRA

1 20

11. 10

-

OPSA

TERMINAL AREA	1,160,000 sqm
QUAY	Length: 1,675 m Depth: 15 m Berths: 4 full-container vessels
HANDLING EQUIPMENT	12 Quay cranes: 8 (25 rows SSGCs) 4 (18 rows SSGCs) 31 RTGs 30 Reach stackers 6 Empty container handlers 76 Prime movers 4 A-RMGs for rail operations
STACKING AREA	Reefer plugs: 978 DG Cargo area: 2,004 TEU
RAIL FACILITIES	8 x 1,200 m tracks RNE standard template
WAREHOUSE	PDE WAREHOUSE 1,200 sqm indoor area 7,000 sqm yard area Handling equipment: 1 reach stacker 1 x 25 tons forklift 1 x 5 tons e-forklift 2 x 3 tons e-forklifts DISTRIPARK 10,000 sqm indoor area 25,000 sqm yard area Handling equipment: 2x reach stackers 1x 25 tons forklift 1x 33 tons forklift 2x 5 tons e-forklifts 2x 3 tons e-forklifts 2x 3 tons e-forklifts 2x 3 tons e-forklifts 2x 2.5 tons e-forklifts



PSA GENOVA PRA' TERMINAL

The PSA Genova Pra' terminal was designed specifically to handle large volumes of box traffic and to accommodate ultra-large container vessels: with modern and sustainable port facilities and direct onterminal road and rail connections, PSA Genova Pra' terminal ranks as the leading maritime gateway to the Northern Italian industrial and consumer centres and as one of the most efficient gateway operators in North Mediterranean Sea.

Located along a wide navigation channel with direct access to the open sea and with a turning basin of 600 m, all classes of vessels, can arrive and depart 24 hours/ day. PSA Genova Pra' covers a total surface area of 116 hectares of which 98 dedicated to operations and features a quay length of 1675 metres with a draught capable of accommodating up to the 24,000 TEUs new generation vessels.

The terminal is progressively boosting its position as leading port in the handling of refrigerated containers: the facilities dedicated to refrigerated and conditioned cargo feature a number of plugs able to accommodate up to 1,500 TEUs reefer containers.

PSA Genova Pra' also caters for breakbulk cargo which has increased significantly over the last few years. A committed team is specialized in finding tailor-made solutions for the full commodity sector: cases, yachts, helicopters, and machine components are handled smoothly across the 62-t. capacity gantry cranes and a wide range of mobile cranes providing the highest degree of flexibility.

A direct on-terminal motorway connection allows fast access to the A26 and A6 for Milan and Turin as well as the A10 south to central Italy and west to France. An automated real-time container tracking system, coupled with 12 automated lanes for container traffic and 2 for non-containerised and heavylift cargo, ensure fast gate clearance. The facility, equipped with 4 RMGs, offers also direct on-terminal rail links and the terminal management company operates directly two rail services to Switzerland and Southern Germany: the Southern Express, connecting the terminal 3/week with Basel and the Stuttgart Express, 2/ week with Stuttgart in Germany.

In addition, the company benefits from the E-port custom connection within the Port Community System and offers seamless internet and EDI access for customers.

PORT OF GENOA

Ep-

TOTAL AREA	245,000 sqm + 64,000 sqm to be completed
QUAY	Length: 1,350 m Depth: 13 m Berths: 5/6 (including 3 stern ramp masts)
HANDLING EQUIPMENT	4 STS cranes 2 RMG cranes 10 Reach-stackers 30 Forklifts: 2 empty container Forklifts 20 tractors 4x4/4x2s 30 Trailers 10 Roll trailers 4 OOG spreaders
STACKING AREA	Capacity: 12,000 TEU - 3000 ground slots Hazardous cargo: 900 TEU max. capacity Reefer plugs: 200 (630 sqm) Refrigerated facility: 7,000 m3 Warehouse with crane: 13,000 sqm Car deck area: 6000 sqm Rolling stock area: 28,000 sqm
RAIL TERMINAL	Rail tracks: 5 on-terminal rail lines connected to the national rail network

MESSINA GROUP INTERMODAL MARINE TERMINAL (IMT)

Messina Group, founded in 1921, is by no means anchored in the past. The company's philosophy is to develop a fully intermodal operation with control over its own shipping services, handling facilities and onward intermodal transportation to ensure a reliable high quality service package.

The 245,000 sqm total surface area, at Genoa's Ponte Nino Ronco and Canepa, furnished the terminal with the equipment and infrastructure needed for rapid and efficient cargo handling, including warehousing and consolidation.

Today Intermodal Marine Terminal (IMT) is a truly multipurpose facility, fully equipped to cater for all key commodity segments: containers, general and rolling cargo, machinery, yachts and boats, and project cargo. The Ro-Ro sector continues to perform strongly and a wide selection of sailings are offered to major destinations in the Mediterranean, the Red Sea, North Africa, the Middle East, West Africa, South East Africa, and Indian Subcontinent.

The Messina group has recently applied a new strategy: IMT Terminal has opened up to the market, offering its extensive experience in the multipurpose shipping sector to all clients who request services tailor-made to their specific requirements.

IMT operates regular block train services across a network of inland terminals in Milan, Brescia, Vicenza and Dinazzano, plus Rivalta Scrivia by third parties, which all offer connections to major industrial and consumer centres across Central and Southern Europe.



TERMINAL SAN GIORGIO


Terminal San Giorgio (TSG) is 100% part of Ignazio Messina & C. SpA Company, a leading Italian shipowner and intermodal logistic group which operates across different segments of the global supply chain industry.

The terminal features a total surface area of 206,000 sqm, and a 1600-metre quayline, with an annual average of 900 ship calls for a volume of over 2 million lane meters, confirming the recent steady upward trend. TSG is equipped to operate simultaneously 3 Ro-Ro vessels and 6 Lo-Lo vessels, and to handle the full range of product categories: containers, trailers, cars, yachts, breakbulk and project cargo.


With ongoing terminal infrastructure investment and a focus on technological innovation and environmental sustainability, the port facilities are on track in reaching the milestones of the ecological transition process undertaken. TSG deploys in total 5 mobile harbour cranes, with hybrid engine and electric smart powerful technology, for fast and efficient handling of all general cargo commodity sectors.

Bolstered by the digitization and automation of the new terminal gate (fully powered by solar panels), TSG ranks as a genuine "smart terminal" in the Port of Genoa. In addition, TSG has obtained ISO45001, ISO14001 and AEO certifications in environmental and quality management, thereby consolidating its role as a reliable trading partner for the major carriers calling at the port.

TOTAL AREA	206,000 sqm
QUAY	Lenght: 1600 m Depth: 11/12 m Berths: 6 lo/lo + 3 ro/ro
HANDLING EQUIPMENT	3 Mobile cranes Full Reach stackers: 10 Forklifts: 25 Tugmasters: 17 Mafi rolltrailers: 90 Reefer plugs: 100
RAIL TERMINAL	2 rail lines equipped for 2 freight trains







FO.RE.S.T

Fo.re.s.t. Terminal at Ponte Somalia is the only dedicated forest products facility in the Port of Genoa, handling pulp for paper production, kraft liner board, reels, newsprint and timber.

The company, established in 1992, is owned by the Campostano Group and ranks as one of the leading forest products handling companies in the North Tyrrhenian Sea.

The terminal covers a total area of 15,500 sqm including 7,500 sqm of warehouse facilities, with 10-metre depth alongside a 193- metre quay. The company has ISO 9001/2008 and OHSAS 18001 certification.

The full range of services provided includes cargo surveying, inland distribution, consulting, shipping agency, forwarding and insurance brokerage.

In addition, the terminal is equipped to handle iron, steel and yachts, and to provide container stripping services.

TOTAL AREA	15,500 sqm
QUAY	Length: 193 m Depth: 10 m
STACKING AREA	8,000 sqm
WAREHOUSE	7,500 sqm
HANDLING EQUIPMENT	10 Forklift trucks 1 Gottwald 280E crane 1 Sweeper 1 Reach stacker



SPINELLI GROUP -GENOA PORT TERMINAL

The Spinelli Group established its port terminal management activities in Genoa in the late 1990s, and since 2001 Genoa Port Terminal has been managed by the Spinelli Group.

Genoa Port Terminal, covering a total surface area of 159,000 sqm at Calata Inglese, Calata Massaua, Ponte Etiopia and Ponte Idroscalo has over the years progressively boosted container and trailer throughput and number of calls, thereby winning the confidence of major shipping lines. The terminal currently handles approximately 400,000 TEUs across the Med, Africa, North and South America, and over 500,000 lane metres of rolling cargo annually to/from Tunisia with Cotunav.

The substantial investment programme implemented in recent years has further strengthened the position of the company as centre of cargo handling excellence. Today Genoa Port Terminal is equipped to provide clients with the full range of services, including stevedoring, storage, container stuffing and stripping, weighing and lashing of project cargo. Reefer container handling facilities feature 290 reefer plugs. In addition, the completion of the new on-terminal rail link has further boosted intermodal services, cutting transit times and increasing efficiency.

TOTAL AREA	159,000 sqm
QUAY	Length: 1,330 m Depth: 14 m Berth: 4 (With 3 Ro-Ro ramps)
HANDLING EQUIPMENT	10 Mobile cranes 28 Reach stackers 23 Mafi tractors 290 Reefer plugs
RAIL TERMINAL	2 x 400 m Rail link







C. STEINWEG - GMT

C. Steinweg-GMT S.r.l. is located in Genoa as Regional Office of the Rotterdam-based Steinweg Group for Central Med, Adriatic Coast and North Africa. The company is the leading metal logistics operator in Italy, and GMT has been a member since 1992. Specialised in forwarding, warehousing, transport and distribution of the full range of commodities, the company's core business focuses on non-ferrous metals, ferro-alloys, scrap and steel.

The company warehouses in Genoa, Trieste and Livorno are licensed by the LME, and by ICE for coffee in Genoa and Trieste. C. Steinweg-GMT also operates in the Ports of Salerno, Ravenna and Gaeta and branch offices in the Ports of Koper, Rijeka, Bar, Belgrade, Thessaloniki, Casablanca, Alexandria and agents in Ploce, Split and Durres.

The company provides clients with worldwide access to a premier door-to-door service integrated across a network of Steinweg offices in 110 locations in over 40 countries.

TOTAL AREA	100,000 sqm
QUAY	Length: 925 m, including ramp for ro-ro vessels Depth: 11 m
WAREHOUSE	30,000 sqm
HANDLING EQUIPMENT	4 Cranes 5 Reach stackers 40 Forklifts 20 Semi-trailers 4 Spreaders 2 Pivoting coils
RAIL FACILITIES	500-metre rail link

PSA SECH TERMINAL CONTENITORI PORTO DI GENOVA

PSA SECH (Terminal Contenitori Porto di Genova S.p.A.) is located in the heart of the Port of Genoa basin and is equipped to cater for up to 14,000 TEU vessels, consolidating its position as a centre of cargo handling excellence with onward distribution towards the major Northen Italian logisitc hubs. The terminal facilities cover a total surface area of 205,000 sqm and feature a 526-m quay, with 14.5-m depth alongside, and a range of handling equipment, including ship-to-shore gantry cranes with an outreach of 20 rows.

Ranking amongst Italy's leading gateway container terminals, PSA SECH has successfully capitalised upon its strategic location, easily accessible both by sea (vessels dock in less than one hour after having entered the port), and overland with direct connections to the rail and motorway network (500 m from the motorway exit).

PSA SECH is equipped to cater for breakbulk cargo weighing up to 60 tons. An external floating crane is available on demand, so that the terminal can increase its safe workload up to 100 tons, making the operations fast and efficient. Bespoke solutions are provided to the client in order to satisfy any cargo handling needs in size and shape, arranging loading and unloading operations both directly and after grounding at the terminal.

TERMINAL AREA	205,000 sqm
QUAY	Length: 526 m Depth: 14.50 m Berths: 2 full-container vessels
HANDLING EQUIPMENT	5 quay cranes: 4 (20 rows SSGCs) 1 (18 rows SSGCs) 6 RMGs 17 Reach stackers 22 Prime movers 2 RMGs for rail operations
STACKING AREA	Reefer TEUs: 658 DG Cargo area: 549 TEU
RAIL FACILITIES	7 x550 m tracks





STAZIONI MARITTIME S.P.A.





Stazioni Marittime S.p.A. operates the ro-pax ferry terminal in the Port of Genoa, handling on average 2,5 million passengers, 700,000 vehicles. The port offers a wide selection of ferry services across the Mediterranean and to North Africa: destinations include Sardinia, Sicily, Corsica, Spain, Malta, Morocco, Tunisia and Algeria with sailings operated by Grandi Navi Veloci, CIN Tirrenia Compagnia Italiana di Navigazione, Moby Lines, Co.Tu. Nav, and Algérie Ferries.

The company manages three dedicated ferry terminals and a total of 8 all-purpose Ro-Ro berths plus an additional 2 berths (Ponte Andrea Doria Levante and Ponte Andrea Doria Ponente) which can accommodate both cruise and ferry ships.

Calata Chiappella ferry terminal boasts 19 check-in gates that speed up transit times to the embarkation areas. The ferry terminal building is linked to Ponte Colombo and Ponte Caracciolo by a walkway which separates the pedestrian flows from the cars and trucks at quay level. An 80,000-sqm area dedicated to preboarding parking and a separate 100,000 sqm truck park are available.

Ponte Colombo ferry terminal offers 3 berths across an area of 6,000 sqm. The terminal is equipped to handle the latest generation of ships which sail to both European and North African destinations.

Ponte Caracciolo ferry terminal was designed to cater specifically for border control and security requirements of extra-Schengen ferry traffic.

TOTAL AREA	290,000 sqm
FACILITIES	5 terminals
QUAY	Total length of quays available: 3,000 m Depth: 11 m max Berths: 12
MAX. SHIP DIMENSIONS FOR BERTH	Length: no limit Width: no limit
ANCHORAGE	Available: yes Ship tenders allowed: yes Tugs available: yes Tidal movement/range: 30 cm

PORT DIRECTORY

Terminal Operators

BETTOLO - GENOA MEDITERRANEAN

GATEWAY TERMINAL Calata Giovanni Bettolo 16149 Genova, Italy Tel. +39 010 817 4990 www.bettolo.com info@terminalbettolo.com

BUT

Via Chiodo, 1/3 - 17100 Savona - Italy Tel. +39 019 821644 www.but.sv.it but@but.sv.i

C. STEINWEG - GMT

Via Scarsellini, 119 Torre B - 16149 Genova - Italy Tel. +39 010 4697611 www.italy.steinweg.com genoa@it.steinweg.com

FO.RE.S.T.

Ponte Somalia Ponente - 16149 Genova - Italy Tel. +39 010 659851 www.campostano.com forest@campostano.com

FORSHIP

Calata Nord Porto Vado - 17047 Vado Ligure (SV), Italy Tel. +39 019 215 6206 www.forship.it operativo.porti@corsicaferries.com

MESSINA GROUP

IMT - INTERMODAL MARINE TERMINAL Via Lungomare Canepa - Ponte Nino Ronco 16149 Genova, Italy Tel. +39 010 6039419 www.imterminal.it commercial@imterminal.it info@imterminal.it

PSA GENOVA PRA' TERMINAL

Bacino Portuale di Pra' - 16157 Genova, Italy Tel. +39 010 69961 www.psaitaly.com | www.psagp.it psagp-marketing@globalpsa.com

PSA SECH

Calata Sanità - Palazzina Uffici 16126 Genova Porto, Italy Tel. +39 010 6483010 www.psaitaly.com | www.psasech.it psagp-marketing@globalpsa.com

REEFER TERMINAL

Banchina Raffaello Orsero - Porto Vado 17028 Bergeggi (SV), Italy Tel. +39 019 28911 www.apmterminals.com vado marketing@apmterminals.com

SAVONA TERMINAL AUTO -

GRIMALDI GROUP Piazza De André, 6 - 17100 Savona, Italy Tel. +39 019 821375 www.marittimaspedizioni.it commercial@marittimaspedizioni.it

SAVONA TERMINALS

Zona 12 Porto Commerciale - 17100 Savona -Italy Tel. +39 019 800899 www.campostano.com savona.terminals@campostano.com

SPINELLI GROUP

GENOA PORT TERMINAL Calata Ignazio Inglese - Palazzina Uffici 16149 Genova, Italy Tel. +390106570730 www.gruppospinelli.com info@gpt.gruppospinelli.com

STAZIONI MARITTIME S.p.A.

Ponte dei Mille - 16126 Genova, Italy Tel. +39 010 0898335 www.stazionimarittimegenova.com mail@smge.it

TERMINAL TERMINAL ALTI FONDALI

Via Stalingrado, 25 17014 San Giuseppe di Cairo (Sv) - Italy Tel. +39 019 506711 info@tafs.it www.terminalaltifondalisavona.it

TERMINAL SAN GIORGIO

Palazzina Ponte Libia - 16149 Genova Porto, Italy Tel. +39 0100894102 www.terminalsangiorgio.it commerciale@terminalsangiorgio.it

VADO GATEWAY

Via Aurelia 75B 17047 Vado Ligure (SV) Italy Tel. +39 019 28911 www.apmterminals.com vado_marketing@apmterminals.com



PORT DIRECTORY

Industry Associations

GENOA FREIGHT FORWARDERS ASSOCIATION

Via Roma 9/4 - 16121 Genova, Italy Tel. +39 010 5451986 www.spediporto genova.it info@spediporto genova.it

GENOA SHIPPING AGENTS ASSOCIATION

Piazza Dante, 6 - 16121 Genova, Italy Tel. +39 010 5536696 www.assagenti.it info@assagenti.it

GENOA TERMINAL OPERATORS ASSOCIATION

c/o Genoa Confederation of Italian Industry Via S. Vincenzo, 2 - 16121 Genova, Italy Tel. +39 010 83381 www.confindustria.ge.it info@confindustria.ge.it

LIGURIA CUSTOMS AGENTS ASSOCIATION

Piazza Montano 3/15 - 16151 - Genova, Italy Tel +39 010 412069 ctsd.ge@alboge.it

PORT OF SAVONA VADO STAKEHOLDERS ASSOCIATION

Via Gramsci 10 - 17100 Savona, Italy Tel. +39 019 85531 www.utentiporto.sv.it segreteria@utentiporto.sv.it

SAVONA VADO SHIPPING AGENTS AND FREIGHT FORWARDERS

ASSOCIATION Via degli Orefici - 17100 Savona, Italy Tel +39 019 8484518 www.isomar.it segreteria@isomar.it

SAVONA VADO TERMINAL OPERATORS

c/o Savona Confederation of Italian Industry Via Gramsci 10 - 17100 Savona, Italy Tel. +39 019 85531 www.uisv.it ui@uisv.it







Autorità di Sistema Portuale del Mar Ligure Occidentale www.portsofgenoa.com - marketing@portsofgenoa.com

Head Office: Palazzo San Giorgio - Via della Mercanzia 2 - 16124 Genova - Tel. +39 010 24 11 Port of Savona Office: Via Dei Calafati 16 - 17100 Savona - Tel. +39 019 85541